## ZOOM+











Fiberglass pole



Graphic attaches on to hook

Zoom+ Flags are a versatile branding solution designed for both indoor and outdoor environments, perfect for exhibitions, sporting events, festivals, and retail promotions. Lightweight and portable, they're quick and easy to assemble with black GRP (Glass reinforced plastic) poles that slot securely together using push-fit ends. A compact fabric sleeve is included to keep pole elements neatly protected when not in use.

## **Product Specifications**

- 4 shapes available in 5 sizes (except for Edge: 4 sizes)
- · Identical pole for Feather, Quill and Crest
- Indoor or outdoor use (depending on base chosen)
- Fiberglass pole
- Flag fabric with three sleeve finishes: a classic Black (FKB) or White (FKW) elasticated sleeve, or an extended Printed (FKP) sleeve for a seamless full-length effect
- · Single-sided and double-sided printing (double sided only available up to large)
- Fabric sleeve included



Optional carry bag (for Feather and Quill): AB-ZML-01




Can hold: pole + graphic + base (not suitable for square bases, concrete bases and water filled bases)


#### **Recommanded Media**


· Flag fabric with three sleeve finishes


The printing templates provided are for guidance only. They take into account internal processes which may vary depending on your equipment, materials and finishes. If you are printing your own material, it is your responsibility to test the compatibility of your media with the product before use.

## **Hardware Information**









Code	Description	Pole + graphic assembled dimensions w x l (mm)	Pole internal Ø	Wind resistance*
UF-ZM-XS	Zoom+ Extra Small Feather/Crest	Feather : 2150 x 535 Crest : 2120 x 480	17 mm	101 km/h
UF-ZM-SM	Zoom+ Small Feather/Crest	2600 x 550	17 mm	101 km/h
UF-ZM-ME	Zoom+ Medium Feather/Crest	3200 x 600	17 mm	101 km/h
UF-ZM-LA	Zoom+ Large Feather/Crest	4000 x 800	17 mm	101 km/h
UF-ZM-EXLA	Zoom+ XL Feather/Crest	4900 x 850	17 mm	101 km/h


<sup>\*</sup>Under controlled test conditions

Code	Description	Pole + graphic assembled dimensions w x l (mm)	Pole internal Ø	Wind resistance*
UF-ZM-XS	Zoom+ Extra Small Quill	1880 x 580	17 mm	101 km/h
UF-ZM-SM	Zoom+ Small Quill	2100 x 800	17 mm	101 km/h
UF-ZM-ME	Zoom+ Medium Quill	2800 x 900	17 mm	101 km/h
UF-ZM-LA	Zoom+ Large Quill	3500 x 1100	17 mm	101 km/h
UF-ZM-EXLA	Zoom+ XL Quill	4600 x 1200	17 mm	101 km/h

<sup>\*</sup>Under controlled test conditions

Code	Description	Pole + graphic assembled dimensions w x l (mm)	Pole internal Ø	Wind resistance*
UF-ZME-SM	Zoom+ Small Edge	2080 x 750	17 mm	29 km/h
UF-ZME-ME	Zoom+ Medium Edge	2900 x 750	17 mm	29 km/h
UF-ZME-LA	Zoom+ Large Edge	4000 x 750	17 mm	29 km/h
UF-ZME-EXLA	Zoom+ XL Edge	5000 x 750	17 mm	29 km/h

#### **Base Information**



## **Base Information**



# **User instructions**

